

FIG.1(a)





FIG.1(b)



2/19

FIG.2(a)




FIG.2(b)




FIG.3





FIG.4

[INSTALLATION PROCESS]



5/19

FIG.5




FIG.6

[Local REGISTRY CREATION PROCESS]





FIG. 7



8/19

FIG.8




FIG.9

inf FILE

```
DRIVER TYPE Scan
MODEL NAME Br MF LAN
DRIVER FILE NAMES adrv bdrv ...
REGISTRY ENTRY DATA A B C
.
.
.
.


PROCEDURE DATA
```

FIG.10(a)

The screenshot shows the Windows Registry Editor window. The left pane displays a tree view of registry keys under 'My Computer' (HKEY_LOCAL_MACHINE). The 'System' key is expanded, showing 'Current Control Set' and its subkeys. The 'Control' key is selected. The right pane is a table showing registry values for this key.


| Name | Data |
|------------------|---------------------------------|
| CreateFileName | "COM1" |
| DeviceSubType | 0x00000001[1] |
| DeviceType | 0x00000001[1] |
| DriverDate | "2-13-2003" |
| DriverDesc | "Br MF1 LAN" |
| FriendlyName | "Br MF1 LAN" |
| HardwareConfig | 01 |
| ICMProfiles | "sRGB Color Space Profile.icm" |
| InfPath | "BR~2.INF" |
| InfSection | "BrMF1LanScn" |
| PropertyPages | "BrnStiCp.cpl,EnumStiPropPages" |
| ProviderName | "br" |
| UninstallSection | "Uninstall.BrSti2" |
| USDClass | "{C1655167-FCC9-4fed-8444-FBF1" |
| Vendor | "br" |

FIG.10(b)




| Name | Data |
|------------------|--|
| Atributes | 0x00000240 (576) |
| ChangeID | 0x001c209f (1843359) |
| Datatype | RAW |
| Default DevMode | 42 00 72 00 6f 00 74 00 66 00 65 00 72 00 20 |
| Default Priority | 0x00000000 (0) |
| Description | |
| dnsTimeout | 0x00003a90 (15000) |
| DsKeyUpdate | 0x00000000 (0) |
| Location | |
| Name | BrMF1Printer |
| ObjectGUID | |
| Paramoters | |
| Port | BLP_11.22.33.44_1 |
| Print Processor | BRMFC PRINT |
| Printer Driver | BrMF1Printer |
| Priority | 0x00000001 (1) |
| Security | |
| Separator File | |
| Share Name | |
| SpoolDirectory | |
| StartTime | 0x00000000 (0) |
| Status | 0x000000180 (384) |
| txTimeout | 0x0000afc8 (45000) |
| UntilTime | 0x00000000 (0) |

FIG. 11



12/19


FIG.12



13/19

FIG.13

[UNINSTALLATION PROCESS]



14/19

FIG.14





FIG.15



[FIRST UNINSTALL LIST CREATION PROCESS]

FIG.16(a)




FIG.16(b)

REGISTRY 1

HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2

REGISTRY 2

HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1

REGISTRY 3

HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\1

FIG.17(a)

UNINSTALL LIST 1

```
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\1  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\2  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\3  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF2\1
```

FIG.17(b)

IF USER SELECTS "Local" AS UNINSTALL TYPE AND
THE ENTRY IN THE UNINSTALL LIST HAVING "Local" IS "2"

UNINSTALL LIST 2

```
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\2
```

UNINSTALL LIST 3

```
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\Local
```

FIG.17(c)

IF "ALL" IS SELECTED AS THE UNINSTALL TYPE

UNINSTALL LIST 2

```
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\1  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\2  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\3  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF2\1
```

UNINSTALL LIST 3

```
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\Local  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\BLP_11.22.33.44_1  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF1\BLP_11.22.33.45_1  
HKEY_LOCAL_MACHINE\Software\Br\Br MFL\Z2\MF2\BLP_11.22.33.55_1
```

18/19

FIG.18





FIG.19



19/19

FIG.20

[Description DISPLAY PROCESS]




FIG.21

Brlst.ini

